

Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Books  
Search PubMed for CCR5 AND soluble Go Clear  
Limits Preview/Index History Clipboard Details

About Entrez

Display Summary Show: 500 Sort Send to Text  
Items 1-121 of 121 One page.

Text Version

Entrez PubMed

Overview  
Help | FAQ  
Tutorial  
New/Noteworthy  
E-Utilities

PubMed Services




















Journals Database  
MeSH Database  
Single Citation Matcher  
Batch Citation Matcher  
Clinical Queries  
LinkOut  
Cubby


















Related Resources

Order Documents  
NLM Gateway  
TOXNET  
Consumer Health  
Clinical Alerts  
ClinicalTrials.gov  
PubMed Central


Privacy Policy


- ☐ 1: Castedo M, Perfettini JL, Andreau K, Roumier T, Piacentini M, Kroemer G. Related Articles, Links  
**Mitochondrial apoptosis induced by the HIV-1 envelope.**  
Ann N Y Acad Sci. 2003 Dec;1010:19-28.  
PMID: 15033690 [PubMed - in process]
- ☐ 2: Pugach P, Kuhmann SE, Taylor J, Marozsan AJ, Snyder A, Ketas T, Wolinsky SM, Korber BT, Moore JP. Related Articles, Links  
**The prolonged culture of human immunodeficiency virus type 1 in primary lymphocytes increases its sensitivity to neutralization by soluble CD4.**  
Virology. 2004 Mar 30;321(1):8-22.  
PMID: 15033560 [PubMed - in process]
- ☐ 3: James CO, Huang MB, Khan M, Garcia-Barrio M, Powell MD, Bond VC. Related Articles, Links  
**Extracellular Nef protein targets CD4+ T cells for apoptosis by interacting with CXCR4 surface receptors.**  
J Virol. 2004 Mar;78(6):3099-109.  
PMID: 14990729 [PubMed - indexed for MEDLINE]
- ☐ 4: Yi Y, Lee C, Liu QH, Freedman BD, Collman RG. Related Articles, Links  
**Chemokine receptor utilization and macrophage signaling by human immunodeficiency virus type 1 gp120: Implications for neuropathogenesis.**  
J Neurovirol. 2004;10 Suppl 1:91-6.  
PMID: 14982745 [PubMed - in process]
- ☐ 5: Goletti D, Carrara S, Vincenti D, Giacomini E, Fattorini L, Garbuglia AR, Capobianchi MR, Alonzi T, Fimia GM, Federico M, Poli G, Coccia E. Related Articles, Links  
**Inhibition of HIV-1 replication in monocyte-derived macrophages by Mycobacterium tuberculosis.**  
J Infect Dis. 2004 Feb 15;189(4):624-33. Epub 2004 Feb 04.  
PMID: 14767815 [PubMed - indexed for MEDLINE]
- ☐ 6: Nabatov AA, Pollakis G, Linnemann T, Kliphuis A, Chalaby ML, Paxton WA. Related Articles, Links  
**Intrapatient alterations in the human immunodeficiency virus type 1 gp120 V1V2 and V3 regions differentially modulate coreceptor usage, virus inhibition by CC/CXC chemokines, soluble CD4, and the b12 and 2G12 monoclonal antibodies.**  
J Virol. 2004 Jan;78(1):524-30.  
PMID: 14671134 [PubMed - indexed for MEDLINE]
- ☐ 7: Abdelwahab SE, Cocchi F, Bagley KC, Kamin-Lewis R, Gallo RC, DeVico A, Lewis GK. Related Articles, Links  
**HIV-1-suppressive factors are secreted by CD4+ T cells during primary immune responses.**  
Proc Natl Acad Sci U S A. 2003 Dec 9;100(25):15006-10. Epub 2003 Dec 01.  
PMID: 14657379 [PubMed - indexed for MEDLINE]

-  **8:** [Denkers EY.](#) [Related Articles](#), [Links](#)
-  **From cells to signaling cascades: manipulation of innate immunity by *Toxoplasma gondii*.**  
FEMS Immunol Med Microbiol. 2003 Dec 5;39(3):193-203. Review.  
PMID: 14642303 [PubMed - indexed for MEDLINE]
-  **9:** [Eriksson C, Eneslatt K, Ivanoff J, Rantapaa-Dahlqvist S, Sundqvist KG.](#) [Related Articles](#), [Links](#)
-  **Abnormal expression of chemokine receptors on T-cells from patients with systemic lupus erythematosus.**  
Lupus. 2003;12(10):766-74.  
PMID: 14596426 [PubMed - indexed for MEDLINE]
-  **10:** [Munk C, Wei G, Yang OO, Waring AJ, Wang W, Hong T, Lehrer RI, Landau NR, Cole AM.](#) [Related Articles](#), [Links](#)
-  **The theta-defensin, retrocyclin, inhibits HIV-1 entry.**  
AIDS Res Hum Retroviruses. 2003 Oct;19(10):875-81.  
PMID: 14585219 [PubMed - indexed for MEDLINE]
-  **11:** [Xiao X, Phogat S, Shu Y, Phogat A, Chow YH, Wei OL, Goldstein H, Broder CC, Dimitrov DS.](#) [Related Articles](#), [Links](#)
-  **Purified complexes of HIV-1 envelope glycoproteins with CD4 and CCR5 (CXCR4): production, characterization and immunogenicity.**  
Vaccine. 2003 Oct 1;21(27-30):4275-84.  
PMID: 14505910 [PubMed - in process]
-  **12:** [Marzio PD, Sherry B, Thomas EK, Franchin G, Schmidtmayerova H, Bukrinsky M.](#) [Related Articles](#), [Links](#)
-  **beta-Chemokine production in CD40L-stimulated monocyte-derived macrophages requires activation of MAPK signaling pathways.**  
Cytokine. 2003 Aug 7;23(3):53-63.  
PMID: 12906868 [PubMed - indexed for MEDLINE]
-  **13:** [Wang X, Staudinger R.](#) [Related Articles](#), [Links](#)
-  **Interaction of soluble CD4 with the chemokine receptor CCR5.**  
Biochem Biophys Res Commun. 2003 Aug 8;307(4):1066-9.  
PMID: 12878220 [PubMed - indexed for MEDLINE]
-  **14:** [Collman RG.](#) [Related Articles](#), [Links](#)
-  **HIV-1 Env-chemokine receptor interactions in primary human macrophages: entry and beyond.**  
Res Initiat Treat Action. 2003 Spring;8(2):6-9.  
PMID: 12845769 [PubMed - indexed for MEDLINE]
-  **15:** [Zloza A, Sullivan YB, Connick E, Landay AL, Al-Harthi L.](#) [Related Articles](#), [Links](#)
-  **CD8+ T cells that express CD4 on their surface (CD4dimCD8bright T cells) recognize an antigen-specific target, are detected in vivo, and can be productively infected by T-tropic HIV.**  
Blood. 2003 Sep 15;102(6):2156-64. Epub 2003 Jun 05.  
PMID: 12791668 [PubMed - indexed for MEDLINE]
-  **16:** [Bursill CA, Cai S, Channon KM, Greaves DR.](#) [Related Articles](#), [Links](#)
-  **Adenoviral-mediated delivery of a viral chemokine binding protein blocks CC-chemokine activity in vitro and in vivo.**  
Immunobiology. 2003;207(3):187-96.  
PMID: 12777060 [PubMed - indexed for MEDLINE]
-  **17:** [Perez-Bercoff D, David A, Sudry H, Barre-Sinoussi F, Pancino G.](#) [Related Articles](#), [Links](#)

-  **Fcgamma receptor-mediated suppression of human immunodeficiency virus type 1 replication in primary human macrophages.**  
J Virol. 2003 Apr;77(7):4081-94.  
PMID: 12634367 [PubMed - indexed for MEDLINE]
-  **18:** Khodarev NN, Yu J, Labay E, Darga T, Brown CK, Mauceri HJ, Yassari R, Gupta N, Weichselbaum RR. [Related Articles, Links](#)
-  **Tumour-endothelium interactions in co-culture: coordinated changes of gene expression profiles and phenotypic properties of endothelial cells.**  
J Cell Sci. 2003 Mar 15;116(Pt 6):1013-22.  
PMID: 12584245 [PubMed - indexed for MEDLINE]
-  **19:** Francois F, Klotman ME. [Related Articles, Links](#)
-  **Phosphatidylinositol 3-kinase regulates human immunodeficiency virus type 1 replication following viral entry in primary CD4+ T lymphocytes and macrophages.**  
J Virol. 2003 Feb;77(4):2539-49.  
PMID: 12551992 [PubMed - indexed for MEDLINE]
-  **20:** Buisson S, Trichet F. [Related Articles, Links](#)
-  **MHC class II engagement by its ligand LAG-3 (CD223) leads to a distinct pattern of chemokine and chemokine receptor expression by human dendritic cells.**  
Vaccine. 2003 Feb 14;21(9-10):862-8.  
PMID: 12547595 [PubMed - indexed for MEDLINE]
-  **21:** Staudinger R, Phogat SK, Xiao X, Wang X, Dimitrov DS, Zolla-Pazner S. [Related Articles, Links](#)
-  **Evidence for CD4-enhanced signaling through the chemokine receptor CCR5.**  
J Biol Chem. 2003 Mar 21;278(12):10389-92. Epub 2003 Jan 15.  
PMID: 12531905 [PubMed - indexed for MEDLINE]
-  **22:** Neurath AR, Strick N, Li YY. [Related Articles, Links](#)
-  **Anti-HIV-1 activity of anionic polymers: a comparative study of candidate microbicides.**  
BMC Infect Dis. 2002 Nov 21;2(1):27.  
PMID: 12445331 [PubMed - indexed for MEDLINE]
-  **23:** Agrawal L, Vanhorn-Ali Z, Alkhatib G. [Related Articles, Links](#)
-  **Multiple determinants are involved in HIV coreceptor use as demonstrated by CCR4/CCL22 interaction in peripheral blood mononuclear cells (PBMCs).**  
J Leukoc Biol. 2002 Nov;72(5):1063-74.  
PMID: 12429730 [PubMed - indexed for MEDLINE]
-  **24:** Yang OO, Boscardin WJ, Matud J, Hausner MA, Hultin LE, Hultin PM, Shih R, Ferbas J, Siegal FP, Shodell M, Shearer GM, Grene E, Carrington M, O'Brien S, Price CB, Detels R, Jamieson BD, Giorgi JV. [Related Articles, Links](#)
-  **Immunologic profile of highly exposed yet HIV type 1-seronegative men.**  
AIDS Res Hum Retroviruses. 2002 Sep 20;18(14):1051-65.  
PMID: 12396457 [PubMed - indexed for MEDLINE]
-  **25:** Devesa F, Chams V, Dinadayala P, Stella A, Ragas A, Auboiroux H, Stegmann T, Poquet Y. [Related Articles, Links](#)
-  **Functional reconstitution of the HIV receptors CCR5 and CD4 in liposomes.**  
Eur J Biochem. 2002 Nov;269(21):5163-74.


PMID: 12392548 [PubMed - indexed for MEDLINE]


-  **26:** [Burton CT, Hardy GA, Sullivan AK, Nelson MR, Gazzard B, Gotch FM, Imami N.](#) Related Articles, Links

 Impact of NNRTI compared to PI-based highly active antiretroviral therapy on CCR5 receptor expression, beta-chemokines and IL-16 secretion in HIV-1 infection.

Clin Exp Immunol. 2002 Nov;130(2):286-92.


PMID: 12390317 [PubMed - indexed for MEDLINE]


-  **27:** [Kawanaka N, Yamamura M, Aita T, Morita Y, Okamoto A, Kawashima M, Iwahashi M, Ueno A, Ohmoto Y, Makino H.](#) Related Articles, Links

 CD14+,CD16+ blood monocytes and joint inflammation in rheumatoid arthritis.

Arthritis Rheum. 2002 Oct;46(10):2578-86.


PMID: 12384915 [PubMed - indexed for MEDLINE]


-  **28:** [Xiang SH, Kwong PD, Gupta R, Rizzuto CD, Casper DJ, Wyatt R, Wang L, Hendrickson WA, Doyle ML, Sodroski J.](#) Related Articles, Links

 Mutagenic stabilization and/or disruption of a CD4-bound state reveals distinct conformations of the human immunodeficiency virus type 1 gp120 envelope glycoprotein.

J Virol. 2002 Oct;76(19):9888-99.

PMID: 12208966 [PubMed - indexed for MEDLINE]


-  **29:** [Geiben-Lynn R, Brown N, Walker BD, Luster AD.](#) Related Articles, Links

 Purification of a modified form of bovine antithrombin III as an HIV-1 CD8+ T-cell antiviral factor.

J Biol Chem. 2002 Nov 1;277(44):42352-7. Epub 2002 Aug 20.


PMID: 12192009 [PubMed - indexed for MEDLINE]


-  **30:** [Cornier EG, Dragic T.](#) Related Articles, Links

 The crown and stem of the V3 loop play distinct roles in human immunodeficiency virus type 1 envelope glycoprotein interactions with the CCR5 coreceptor.

J Virol. 2002 Sep;76(17):8953-7.


PMID: 12163614 [PubMed - indexed for MEDLINE]


-  **31:** [Rice J, Connor R, Worgall S, Moore JP, Leopold PL, Kaner RJ, Crystal RG.](#) Related Articles, Links

 Inhibition of HIV-1 replication in alveolar macrophages by adenovirus gene transfer vectors.

Am J Respir Cell Mol Biol. 2002 Aug;27(2):214-9.

PMID: 12151313 [PubMed - indexed for MEDLINE]


-  **32:** [Algeciras-Schimnich A, Vlahakis SR, Villasis-Keever A, Gomez T, Heppelmann CJ, Bou G, Paya CV.](#) Related Articles, Links

 CCR5 mediates Fas- and caspase-8 dependent apoptosis of both uninfected and HIV infected primary human CD4 T cells.

AIDS. 2002 Jul 26;16(11):1467-78.


PMID: 12131184 [PubMed - indexed for MEDLINE]


















-  **33:** [Aliberti J, Sher A.](#) Related Articles, Links

 Role of G-protein-coupled signaling in the induction and regulation of dendritic cell function by Toxoplasma gondii.

Microbes Infect. 2002 Jul;4(9):991-7. Review.

PMID: 12106793 [PubMed - indexed for MEDLINE]

-  **34:** [Verani A, Sironi F, Siccardi AG, Lusso P, Vercelli D.](#) Related Articles, Links

-  Inhibition of CXCR4-tropic HIV-1 infection by lipopolysaccharide: evidence of different mechanisms in macrophages and T lymphocytes.  
J Immunol. 2002 Jun 15;168(12):6388-95.  
PMID: 12055257 [PubMed - indexed for MEDLINE]
-  **35:** [Scanga CA, Aliberti J, Jankovic D, Tilloy F, Bennouna S, Denkers EY, Medzhitov R, Sher A.](#) [Related Articles, Links](#)  
[EY, Medzhitov R, Sher A.](#)
-  Cutting edge: MyD88 is required for resistance to *Toxoplasma gondii* infection and regulates parasite-induced IL-12 production by dendritic cells.  
J Immunol. 2002 Jun 15;168(12):5997-6001.  
PMID: 12055206 [PubMed - indexed for MEDLINE]
-  **36:** [Kannmogne GD, Kennedy RC, Grammas P.](#) [Related Articles, Links](#)
-  Infection of baboon microglia with SIV-HIV recombinant viruses: role of CD4 and chemokine receptors.  
AIDS Res Hum Retroviruses. 2002 May 20;18(8):557-65.  
PMID: 12036485 [PubMed - indexed for MEDLINE]
-  **37:** [Bergamini A, Bolacchi F, Pesce CD, Carbone M, Cepparulo M, Demin F, Rocchi G.](#) [Related Articles, Links](#)
-  Increased CD4 and CCR5 expression and human immunodeficiency virus type 1 entry in CD40 ligand-stimulated macrophages.  
J Infect Dis. 2002 Jun 1;185(11):1567-77. Epub 2002 May 17.  
PMID: 12023762 [PubMed - indexed for MEDLINE]
-  **38:** [Gorry PR, Taylor J, Holm GH, Mehle A, Morgan T, Cayabyab M, Farzan M, Wang H, Bell JE, Kunstman K, Moore JP, Wolinsky SM, Gabuzda D.](#) [Related Articles, Links](#)
-  Increased CCR5 affinity and reduced CCR5/CD4 dependence of a neurovirulent primary human immunodeficiency virus type 1 isolate.  
J Virol. 2002 Jun;76(12):6277-92.  
PMID: 12021361 [PubMed - indexed for MEDLINE]
-  **39:** [Aliberti J, Sher A.](#) [Related Articles, Links](#)
-  Positive and negative regulation of pathogen induced dendritic cell function by G-protein coupled receptors.  
Mol Immunol. 2002 May;38(12-13):891-3. Review.  
PMID: 12009566 [PubMed - indexed for MEDLINE]
-  **40:** [Cockwell P, Calderwood JW, Brooks CJ, Chakravorty SJ, Savage CO.](#) [Related Articles, Links](#)
-  Chemoattraction of T cells expressing CCR5, CXCR3 and CX3CR1 by proximal tubular epithelial cell chemokines.  
Nephrol Dial Transplant. 2002 May;17(5):734-44.  
PMID: 11981057 [PubMed - indexed for MEDLINE]
-  **41:** [Yang X, Lee J, Mahony EM, Kwong PD, Wyatt R, Sodroski J.](#) [Related Articles, Links](#)
-  Highly stable trimers formed by human immunodeficiency virus type 1 envelope glycoproteins fused with the trimeric motif of T4 bacteriophage fibritin.  
J Virol. 2002 May;76(9):4634-42.  
PMID: 11932429 [PubMed - indexed for MEDLINE]
-  **42:** [Mack M, Pflisteringer J, Weber C, Weber KS, Nelson PJ, Rupp T, Maletz K, Bruhl H, Schlondorff D.](#) [Related Articles, Links](#)
-  Chondroitin sulfate A released from platelets blocks RANTES presentation on cell surfaces and RANTES-dependent firm adhesion of leukocytes.  
Eur J Immunol. 2002 Apr;32(4):1012-20.

PMID: 11920567 [PubMed - indexed for MEDLINE]


-  **43:** Puffer BA, Pohlmann S, Edinger AL, Carlin D, Sanchez MD, Reitter J, Watry DD, Fox HS, Desrosiers RC, Doms RW. [Related Articles, Links](#)



CD4 independence of simian immunodeficiency virus Envs is associated with macrophage tropism, neutralization sensitivity, and attenuated pathogenicity.

J Virol. 2002 Mar;76(6):2595-605.

PMID: 11861825 [PubMed - indexed for MEDLINE]

-  **44:** Zhang PF, Bouma P, Park EJ, Margolick JB, Robinson JE, Zolla-Pazner S, Flora MN, Quinnan GV Jr. [Related Articles, Links](#)



A variable region 3 (V3) mutation determines a global neutralization phenotype and CD4-independent infectivity of a human immunodeficiency virus type 1 envelope associated with a broadly cross-reactive, primary virus-neutralizing antibody response.

J Virol. 2002 Jan;76(2):644-55.

PMID: 11752155 [PubMed - indexed for MEDLINE]

-  **45:** Foley HD, Otero M, Orenstein JM, Pomerantz RJ, Schnell MJ. [Related Articles, Links](#)



Rhabdovirus-based vectors with human immunodeficiency virus type 1 (HIV-1) envelopes display HIV-1-like tropism and target human dendritic cells.

J Virol. 2002 Jan;76(1):19-31.

PMID: 11739668 [PubMed - indexed for MEDLINE]


-  **46:** Schiller JT, Lowy DR. [Related Articles, Links](#)



Papillomavirus-like particle based vaccines: cervical cancer and beyond.

Expert Opin Biol Ther. 2001 Jul;1(4):571-81. Review.

PMID: 11727495 [PubMed - indexed for MEDLINE]


-  **47:** Price P, Mathiot N, Krueger R, Stone S, Keane NM, French MA. [Related Articles, Links](#)



Immune dysfunction and immune restoration disease in HIV patients given highly active antiretroviral therapy.

J Clin Virol. 2001 Oct;22(3):279-87.

PMID: 11564593 [PubMed - indexed for MEDLINE]


-  **48:** Albright AV, Martin J, O'Connor M, Gonzalez-Scarano F. [Related Articles, Links](#)



Interactions between HIV-1 gp120, chemokines, and cultured adult microglial cells.

J Neurovirol. 2001 Jun;7(3):196-207.

PMID: 11517394 [PubMed - indexed for MEDLINE]

-  **49:** Losman B, Bolmstedt A, Schonning K, Bjorndal A, Westin C, Fenyo EM, Olofsson S. [Related Articles, Links](#)



Protection of neutralization epitopes in the V3 loop of oligomeric human immunodeficiency virus type 1 glycoprotein 120 by N-linked oligosaccharides in the V1 region.

AIDS Res Hum Retroviruses. 2001 Jul 20;17(11):1067-76.

PMID: 11485624 [PubMed - indexed for MEDLINE]


-  **50:** Huang MB, Khan M, Garcia-Barrio M, Powell M, Bond VC. [Related Articles, Links](#)



Apoptotic effects in primary human umbilical vein endothelial cell cultures caused by exposure to virion-associated and cell membrane-associated HIV-1 gp120.

J Acquir Immune Defic Syndr. 2001 Jul 1;27(3):213-21.

PMID: 11464139 [PubMed - indexed for MEDLINE]

-  **51:** Stumbles PA, Strickland DH, Pimm CL, Proksch SF, Marsh AM. [Related Articles, Links](#)

McWilliam AS, Bosco A, Tobagus I, Thomas JA, Napoli S, Proudfoot AE, Wells TN, Holt PG.



Regulation of dendritic cell recruitment into resting and inflamed airway epithelium: use of alternative chemokine receptors as a function of inducing stimulus.

J Immunol. 2001 Jul 1;167(1):228-34.

PMID: 11418653 [PubMed - indexed for MEDLINE]

- ☐ 52: Martin L, Blanpain C, Garnier P, Wittamer V, Parmentier M, Vita C. [Related Articles](#), [Links](#)



Structural and functional analysis of the RANTES-glycosaminoglycans interactions.

Biochemistry. 2001 May 29;40(21):6303-18.

PMID: 11371192 [PubMed - indexed for MEDLINE]

- ☐ 53: Cormier EG, Tran DN, Yukhayeva L, Olson WC, Dragic T. [Related Articles](#), [Links](#)



Mapping the determinants of the CCR5 amino-terminal sulfopeptide interaction with soluble human immunodeficiency virus type 1 gp120-CD4 complexes.

J Virol. 2001 Jun;75(12):5541-9.

PMID: 11356961 [PubMed - indexed for MEDLINE]

- ☐ 54: Hogan CM, Hammer SM. [Related Articles](#), [Links](#)



Host determinants in HIV infection and disease. Part 2: genetic factors and implications for antiretroviral therapeutics.

Ann Intern Med. 2001 May 15;134(10):978-96. Review.

PMID: 11352699 [PubMed - indexed for MEDLINE]

- ☐ 55: Mbemba E, Slimani H, Atemezem A, Saffar L, Gattegno L. [Related Articles](#), [Links](#)



Glycans are involved in RANTES binding to CCR5 positive as well as to CCR5 negative cells.

Biochim Biophys Acta. 2001 Feb 9;1510(1-2):354-66.

PMID: 11342172 [PubMed - indexed for MEDLINE]

- ☐ 56: Mummidi S, Catano G, Lam L, Hoefle A, Telles V, Begum K, Jimenez F, Ahuja SS, Ahuja SK. [Related Articles](#), [Links](#)



Extensive repertoire of membrane-bound and soluble dendritic cell-specific ICAM-3-grabbing nonintegrin 1 (DC-SIGN1) and DC-SIGN2 isoforms.

Inter-individual variation in expression of DC-SIGN transcripts.

J Biol Chem. 2001 Aug 31;276(35):33196-212. Epub 2001 May 03.

PMID: 11337487 [PubMed - indexed for MEDLINE]

- ☐ 57: Fantuzzi L, Canini I, Belardelli F, Gessani S. [Related Articles](#), [Links](#)



HIV-1 gp120 stimulates the production of beta-chemokines in human peripheral blood monocytes through a CD4-independent mechanism.

J Immunol. 2001 May 1;166(9):5381-7.

PMID: 11313374 [PubMed - indexed for MEDLINE]

- ☐ 58: Cotter RL, Zheng J, Che M, Niemann D, Liu Y, He J, Thomas E, Gendelman HE. [Related Articles](#), [Links](#)


















Regulation of human immunodeficiency virus type 1 infection, beta-chemokine production, and CCR5 expression in CD40L-stimulated macrophages: immune control of viral entry.

J Virol. 2001 May;75(9):4308-20.

PMID: 11287580 [PubMed - indexed for MEDLINE]

- ☐ 59: Bouhlal H, Galon J, Kazatchkine MD, Fridman WH, Sautes-Fridman C, Haeffner Cavaillon N. [Related Articles](#), [Links](#)

Soluble CD16 inhibits CR3 (CD11b/CD18)-mediated infection of

-  monocytes/macrophages by opsonized primary R5 HIV-1.  
J Immunol. 2001 Mar 1;166(5):3377-83.  
PMID: 11207294 [PubMed - indexed for MEDLINE]
-  **60:** Zafiropoulos A, Baritaki S, Siounpara M, Spandidos DA, Krambovitis E. [Related Articles, Links](#)  
V3 induces in human normal cell populations an accelerated macrophage-mediated proliferation--apoptosis phenomenon of effector T cells when they respond to their cognate antigen.  
Biochem Biophys Res Commun. 2001 Feb 16;281(1):63-70.  
PMID: 11178961 [PubMed - indexed for MEDLINE]
-  **61:** Zhang YJ, Zhang L, Ketas T, Korber BT, Moore JP. [Related Articles, Links](#)  
HIV type 1 molecular clones able to use the Bonzo/STRL-33 coreceptor for virus entry.  
AIDS Res Hum Retroviruses. 2001 Feb 10;17(3):217-27.  
PMID: 11177404 [PubMed - indexed for MEDLINE]
-  **62:** Douglas GC, Thirkill TL, Sideris V, Rabieh M, Trollinger D, Nuccitelli R. [Related Articles, Links](#)  
Chemokine receptor expression by human syncytiotrophoblast.  
J Reprod Immunol. 2001 Feb;49(2):97-114.  
PMID: 11164896 [PubMed - indexed for MEDLINE]
-  **63:** Beaumont T, van Nuenen A, Broersen S, Blattner WA, Lukashov VV, Schuitemaker H. [Related Articles, Links](#)  
 Reversal of human immunodeficiency virus type 1 IIIB to a neutralization-resistant phenotype in an accidentally infected laboratory worker with a progressive clinical course.  
J Virol. 2001 Mar;75(5):2246-52.  
PMID: 11160728 [PubMed - indexed for MEDLINE]
-  **64:** Kolchinsky P, Kiprilov E, Sodroski J. [Related Articles, Links](#)  
 Increased neutralization sensitivity of CD4-independent human immunodeficiency virus variants.  
J Virol. 2001 Mar;75(5):2041-50.  
PMID: 11160708 [PubMed - indexed for MEDLINE]
-  **65:** Ylisastigui L, Bakri Y, Amzazi S, Gluckman JC, Benjouad A. [Related Articles, Links](#)  
 Soluble glycosaminoglycans Do not potentiate RANTES antiviral activity on the infection of primary macrophages by human immunodeficiency virus type 1.  
Virology. 2000 Dec 20;278(2):412-22.  
PMID: 11118364 [PubMed - indexed for MEDLINE]
-  **66:** Esser U, Speck RF, Deen KC, Atchison RE, Sweet R, Goldsmith MA. [Related Articles, Links](#)  
 Molecular function of the CD4 D1 domain in coreceptor-mediated entry by HIV type 1.  
AIDS Res Hum Retroviruses. 2000 Nov 20;16(17):1845-54.  
PMID: 11118070 [PubMed - indexed for MEDLINE]
-  **67:** Liu HY, Soda Y, Shimizu N, Haraguchi Y, Jinno A, Takeuchi Y, Hoshino H. [Related Articles, Links](#)  
 CD4-Dependent and CD4-independent utilization of coreceptors by human immunodeficiency viruses type 2 and simian immunodeficiency viruses.  
Virology. 2000 Dec 5;278(1):276-88.  
PMID: 11112502 [PubMed - indexed for MEDLINE]
-  **68:** Fouts TR, Tuskan R, Godfrey K, Reitz M, Hone D, Lewis GK. [Related Articles, Links](#)



DeVico AL.



Expression and characterization of a single-chain polypeptide analogue of the human immunodeficiency virus type 1 gp120-CD4 receptor complex.

J Virol. 2000 Dec;74(24):11427-36.

PMID: 11090138 [PubMed - indexed for MEDLINE]



- 69: Xiao H, Neuveut C, Tiffany HL, Benkirane M, Rich EA, Murphy PM, Jeang KT. [Related Articles](#), [Links](#)



Selective CXCR4 antagonism by Tat: implications for in vivo expansion of coreceptor use by HIV-1.

Proc Natl Acad Sci U S A. 2000 Oct 10;97(21):11466-71.

PMID: 11027346 [PubMed - indexed for MEDLINE]



- 70: di Marzio P, Mariani R, Lui R, Thomas EK, Landau NR. [Related Articles](#), [Links](#)



Soluble CD40 ligand induces beta-chemokine production by macrophages and resistance to HIV-1 entry.

Cytokine. 2000 Oct;12(10):1489-95.

PMID: 11023663 [PubMed - indexed for MEDLINE]



- 71: Hu Q, Trent JO, Tomaras GD, Wang Z, Murray JL, Conolly SM, Navenot JM, Barry AP, Greenberg ML, Peiper SC. [Related Articles](#), [Links](#)



Identification of ENV determinants in V3 that influence the molecular anatomy of CCR5 utilization.

J Mol Biol. 2000 Sep 15;302(2):359-75.

PMID: 10970739 [PubMed - indexed for MEDLINE]



- 72: Chen B, Zhou G, Kim M, Chishti Y, Hussey RE, Ely B, Skehel JJ, Reinherz EL, Harrison SC, Wiley DC. [Related Articles](#), [Links](#)



Expression, purification, and characterization of gp160e, the soluble, trimeric ectodomain of the simian immunodeficiency virus envelope glycoprotein, gp160.

J Biol Chem. 2000 Nov 10;275(45):34946-53.

PMID: 10944528 [PubMed - indexed for MEDLINE]



- 73: Tahara-Hanaoka S, Ushijima Y, Tarui H, Wada M, Hara T, Imanishi S, Yamaguchi T, Hattori T, Nakauchi H, Koito A. [Related Articles](#), [Links](#)



Differential level in co-down-modulation of CD4 and CXCR4 primed by HIV-1 gp120 in response to phorbol ester, PMA, among HIV-1 isolates.

Microbiol Immunol. 2000;44(6):489-98.

PMID: 10941932 [PubMed - indexed for MEDLINE]



- 74: Farzan M, Vasilieva N, Schnitzler CE, Chung S, Robinson J, Gerard NP, Gerard C, Choe H, Sodroski J. [Related Articles](#), [Links](#)



A tyrosine-sulfated peptide based on the N terminus of CCR5 interacts with a CD4-enhanced epitope of the HIV-1 gp120 envelope glycoprotein and inhibits HIV-1 entry.

J Biol Chem. 2000 Oct 27;275(43):33516-21.

PMID: 10938094 [PubMed - indexed for MEDLINE]



- 75: Edinger AL, Abuja M, Sung T, Baxter KC, Haggarty B, Doms RW, Hoxie JA. [Related Articles](#), [Links](#)



Characterization and epitope mapping of neutralizing monoclonal antibodies produced by immunization with oligomeric simian immunodeficiency virus envelope protein.


















J Virol. 2000 Sep;74(17):7922-35.


PMID: 10933700 [PubMed - indexed for MEDLINE]



- 76: Beaumont T, Broersen S, van Nuenen A, Huisman HG, de Roda Husman AM, Heeney JL, Schuitemaker H. [Related Articles](#), [Links](#)

Increased neutralization sensitivity and reduced replicative capacity of

-  human immunodeficiency virus type 1 after short-term in vivo or in vitro passage through chimpanzees.  
J Virol. 2000 Sep;74(17):7699-707.  
PMID: 10933675 [PubMed - indexed for MEDLINE]
-  **77:** Staropoli I, Chanel C, Girard M, Altmeyer R. [Related Articles](#), [Links](#)
-  Processing, stability, and receptor binding properties of oligomeric envelope glycoprotein from a primary HIV-1 isolate.  
J Biol Chem. 2000 Nov 10;275(45):35137-45.  
PMID: 10926931 [PubMed - indexed for MEDLINE]
-  **78:** Jones D, O'Hara C, Kraus MD, Perez-Atayde AR, Shahsafaee A, Wu L, Dorfman DM. [Related Articles](#), [Links](#)
-  Expression pattern of T-cell-associated chemokine receptors and their chemokines correlates with specific subtypes of T-cell non-Hodgkin lymphoma.  
Blood. 2000 Jul 15;96(2):685-90.  
PMID: 10887135 [PubMed - indexed for MEDLINE]
-  **79:** Mirzabekov T, Kontos H, Farzan M, Marasco W, Sodroski J. [Related Articles](#), [Links](#)
-  Paramagnetic proteoliposomes containing a pure, native, and oriented seven-transmembrane segment protein, CCR5.  
Nat Biotechnol. 2000 Jun;18(6):649-54.  
PMID: 10835604 [PubMed - indexed for MEDLINE]
-  **80:** Cormier EG, Persuh M, Thompson DA, Lin SW, Sakmar TP, Olson WC, Dragic T. [Related Articles](#), [Links](#)
-  Specific interaction of CCR5 amino-terminal domain peptides containing sulfotyrosines with HIV-1 envelope glycoprotein gp120.  
Proc Natl Acad Sci U S A. 2000 May 23;97(11):5762-7.  
PMID: 10823934 [PubMed - indexed for MEDLINE]
-  **81:** Catani MV, Corasaniti MT, Navarra M, Nistico G, Finazzi-Agro A, Melino G. [Related Articles](#), [Links](#)
-  gp120 induces cell death in human neuroblastoma cells through the CXCR4 and CCR5 chemokine receptors.  
J Neurochem. 2000 Jun;74(6):2373-9.  
PMID: 10820198 [PubMed - indexed for MEDLINE]
-  **82:** Yang X, Florin L, Farzan M, Kolchinsky P, Kwong PD, Sodroski J, Wyatt R. [Related Articles](#), [Links](#)
-  Modifications that stabilize human immunodeficiency virus envelope glycoprotein trimers in solution.  
J Virol. 2000 May;74(10):4746-54.  
PMID: 10775613 [PubMed - indexed for MEDLINE]
-  **83:** Dey B, Lerner DL, Lusso P, Boyd MR, Elder JH, Berger EA. [Related Articles](#), [Links](#)
-  Multiple antiviral activities of cyanovirin-N: blocking of human immunodeficiency virus type 1 gp120 interaction with CD4 and coreceptor and inhibition of diverse enveloped viruses.  
J Virol. 2000 May;74(10):4562-9.  
PMID: 10775592 [PubMed - indexed for MEDLINE]
-  **84:** McManus CM, Weidenheim K, Woodman SE, Nunez J, Hesselgesser J, Nath A, Berman JW. [Related Articles](#), [Links](#)
-  Chemokine and chemokine-receptor expression in human glial elements: induction by the HIV protein, Tat, and chemokine autoregulation.  
Am J Pathol. 2000 Apr;156(4):1441-53.  
PMID: 10751368 [PubMed - indexed for MEDLINE]

 **85:** [Labrosse B, Treboute C, Alizon M.](#)


[Related Articles](#), [Links](#)



**Sensitivity to a nonpeptidic compound (RPR103611) blocking human immunodeficiency virus type 1 Env-mediated fusion depends on sequence and accessibility of the gp41 loop region.**

J Virol. 2000 Mar;74(5):2142-50.

PMID: 10666243 [PubMed - indexed for MEDLINE]

 **86:** [Berman PW, Huang W, Riddle L, Gray AM, Wrin T, Vennari J, Johnson A, Klaussen M, Prashad H, Kohne C, de Wit C, Gregory TJ.](#)


[Related Articles](#), [Links](#)



**Development of bivalent (B/E) vaccines able to neutralize CCR5-dependent viruses from the United States and Thailand.**

Virology. 1999 Dec 5;265(1):1-9.

PMID: 10603312 [PubMed - indexed for MEDLINE]

 **87:** [Salzwedel K, Smith ED, Dey B, Berger EA.](#)


[Related Articles](#), [Links](#)



**Sequential CD4-coreceptor interactions in human immunodeficiency virus type 1 Env function: soluble CD4 activates Env for coreceptor-dependent fusion and reveals blocking activities of antibodies against cryptic conserved epitopes on gp120.**

J Virol. 2000 Jan;74(1):326-33.

PMID: 10590121 [PubMed - indexed for MEDLINE]

 **88:** [Burns JM, Lewis GK, DeVico AL.](#)

[Related Articles](#), [Links](#)



**Soluble complexes of regulated upon activation, normal T cells expressed and secreted (RANTES) and glycosaminoglycans suppress HIV-1 infection but do not induce Ca(2+) signaling.**

Proc Natl Acad Sci U S A. 1999 Dec 7;96(25):14499-504.

PMID: 10588734 [PubMed - indexed for MEDLINE]

 **89:** [Wang J, Guan E, Roderiquez G, Norcross MA.](#)


[Related Articles](#), [Links](#)



**Inhibition of CCR5 expression by IL-12 through induction of beta-chemokines in human T lymphocytes.**

J Immunol. 1999 Dec 1;163(11):5763-9.

PMID: 10570258 [PubMed - indexed for MEDLINE]

 **90:** [Doranz BJ, Baik SS, Doms RW.](#)


[Related Articles](#), [Links](#)



**Use of a gp120 binding assay to dissect the requirements and kinetics of human immunodeficiency virus fusion events.**

J Virol. 1999 Dec;73(12):10346-58.

PMID: 10559353 [PubMed - indexed for MEDLINE]

 **91:** [Moir S, Lapointe R, Malaspina A, Ostrowski M, Cole CB, Chun TW, Adelsberger J, Baseler M, Hwu P, Fauci AS.](#)


[Related Articles](#), [Links](#)



**CD40-Mediated induction of CD4 and CXCR4 on B lymphocytes correlates with restricted susceptibility to human immunodeficiency virus type 1 infection: potential role of B lymphocytes as a viral reservoir.**

J Virol. 1999 Oct;73(10):7972-80.

PMID: 10482544 [PubMed - indexed for MEDLINE]

 **92:** [Xiao L, Weiss SH, Qari SH, Rudolph D, Zhao C, Denny TN, Hodge T, Lal RB.](#)

[Related Articles](#), [Links](#)



**Partial resistance to infection by R5X4 primary HIV type 1 isolates in an exposed-uninfected individual homozygous for CCR5 32-base pair deletion.**

AIDS Res Hum Retroviruses. 1999 Sep 1;15(13):1201-8.

PMID: 10480633 [PubMed - indexed for MEDLINE]

- 93: [Reeves JD, Hibbitts S, Simmons G, McKnight A, Azevedo-Pereira JM, Moniz-Pereira J, Clapham PR](#) Related Articles, Links



Primary human immunodeficiency virus type 2 (HIV-2) isolates infect CD4-negative cells via CCR5 and CXCR4: comparison with HIV-1 and simian immunodeficiency virus and relevance to cell tropism in vivo.

J Virol. 1999 Sep;73(9):7795-804.

PMID: 10438870 [PubMed - indexed for MEDLINE]

- 94: [Poccia F, Battistini L, Cipriani B, Mancino G, Martini F, Gougeon ML, Colizzi V](#) Related Articles, Links



Phosphoantigen-reactive Vgamma9Vdelta2 T lymphocytes suppress in vitro human immunodeficiency virus type 1 replication by cell-released antiviral factors including CC chemokines.

J Infect Dis. 1999 Sep;180(3):858-61.

PMID: 10438380 [PubMed - indexed for MEDLINE]

- 95: [Zhang W, Canziani G, Plagariu C, Wyatt R, Sodroski J, Sweet R, Kwong P, Hendrickson W, Chaiken I](#) Related Articles, Links



Conformational changes of gp120 in epitopes near the CCR5 binding site are induced by CD4 and a CD4 miniprotein mimetic.

Biochemistry. 1999 Jul 20;38(29):9405-16.

PMID: 10413516 [PubMed - indexed for MEDLINE]

- 96: [Fais S, Lapenta C, Santini SM, Spada M, Parlato S, Logozzi M, Rizza P, Belardelli F](#) Related Articles, Links



Human immunodeficiency virus type 1 strains R5 and X4 induce different pathogenic effects in hu-PBL-SCID mice, depending on the state of activation/differentiation of human target cells at the time of primary infection.

J Virol. 1999 Aug;73(8):6453-9.

PMID: 10400739 [PubMed - indexed for MEDLINE]

- 97: [Schenten D, Marcon L, Karlsson GB, Parolin C, Kodama T, Gerard N, Sodroski J](#) Related Articles, Links



Effects of soluble CD4 on simian immunodeficiency virus infection of CD4-positive and CD4-negative cells.

J Virol. 1999 Jul;73(7):5373-80.

PMID: 10364284 [PubMed - indexed for MEDLINE]

- 98: [Hoffman TL, LaBranche CC, Zhang W, Canziani G, Robinson J, Chaiken I, Hoxie JA, Doms RW](#) Related Articles, Links



Stable exposure of the coreceptor-binding site in a CD4-independent HIV-1 envelope protein.

Proc Natl Acad Sci U S A. 1999 May 25;96(11):6359-64.

PMID: 10339592 [PubMed - indexed for MEDLINE]

- 99: [Iyengar S, Schwartz DH, Hildreth JE](#) Related Articles, Links



T cell-tropic HIV gp120 mediates CD4 and CD8 cell chemotaxis through CXCR4 independent of CD4: implications for HIV pathogenesis.

J Immunol. 1999 May 15;162(10):6263-7.

PMID: 10229873 [PubMed - indexed for MEDLINE]


- 100: [Olson WC, Rabut GE, Nagashima KA, Tran DN, Anselma DJ, Monard SP, Segal JP, Thompson DA, Kajumo F, Guo Y, Moore JP, Maddon PJ, Dragic T](#) Related Articles, Links



Differential inhibition of human immunodeficiency virus type 1 fusion, gp120 binding, and CC-chemokine activity by monoclonal antibodies to CCR5.


J Virol. 1999 May;73(5):4145-55.

PMID: 10196311 [PubMed - indexed for MEDLINE]

-  **101:** [McDyer JF, Dybul M, Goletz TJ, Kinter AL, Thomas EK, Berzofsky JA, Fauci AS, Seder RA.](#) [Related Articles, Links](#)



Differential effects of CD40 ligand/trimer stimulation on the ability of dendritic cells to replicate and transmit HIV infection: evidence for CC-chemokine-dependent and -independent mechanisms.  
J Immunol. 1999 Mar 15;162(6):3711-7.  
PMID: 10092834 [PubMed - indexed for MEDLINE]

-  **102:** [Beddows S, Lister S, Cheingsong R, Bruck C, Weber J.](#) [Related Articles, Links](#)



Comparison of the antibody repertoire generated in healthy volunteers following immunization with a monomeric recombinant gp120 construct derived from a CCR5/CXCR4-using human immunodeficiency virus type 1 isolate with sera from naturally infected individuals.  
J Virol. 1999 Feb;73(2):1740-5.  
PMID: 9882391 [PubMed - indexed for MEDLINE]

-  **103:** [Rabchi L, Seddiki N, Benjouad A, Gluckman JC, Gattegno L.](#) [Related Articles, Links](#)




Interaction of human immunodeficiency virus type 1 envelope glycoprotein V3 loop with CCR5 and CD4 at the membrane of human primary macrophages.  
AIDS Res Hum Retroviruses. 1998 Dec 20;14(18):1605-15. Erratum in: AIDS Res Hum Retroviruses 1999 Mar 20;15(5):493.  
PMID: 9870313 [PubMed - indexed for MEDLINE]

-  **104:** [Loetscher M, Loetscher P, Brass N, Meese E, Moser B.](#) [Related Articles, Links](#)




Lymphocyte-specific chemokine receptor CXCR3: regulation, chemokine binding and gene localization.  
Eur J Immunol. 1998 Nov;28(11):3696-705.  
PMID: 9842912 [PubMed - indexed for MEDLINE]

-  **105:** [Schols D, Proost P, Struyf S, Wuyts A, De Meester I, Scharpe S, Van Damme J, De Clercq E.](#) [Related Articles, Links](#)




CD26-processed RANTES(3-68), but not intact RANTES, has potent anti-HIV-1 activity.  
Antiviral Res. 1998 Oct;39(3):175-87. Erratum in: Antiviral Res 1999 Jan;40(3):189-90.  
PMID: 9833958 [PubMed - indexed for MEDLINE]

-  **106:** [Moriuchi M, Moriuchi H, Turner W, Fauci AS.](#) [Related Articles, Links](#)




Exposure to bacterial products renders macrophages highly susceptible to T-tropic HIV-1.  
J Clin Invest. 1998 Oct 15;102(8):1540-50.  
PMID: 9788967 [PubMed - indexed for MEDLINE]

-  **107:** [Ruiz ME, Cicala C, Arthos J, Kinter A, Catanzaro AT, Adelsberger J, Holmes KL, Cohen OJ, Fauci AS.](#) [Related Articles, Links](#)




















Peripheral blood-derived CD34+ progenitor cells: CXC chemokine receptor 4 and CC chemokine receptor 5 expression and infection by HIV.  
J Immunol. 1998 Oct 15;161(8):4169-76.  
PMID: 9780190 [PubMed - indexed for MEDLINE]

-  **108:** [Huang L, Bosch I, Hofmann W, Sodroski J, Pardee AB.](#) [Related Articles, Links](#)



Tat protein induces human immunodeficiency virus type 1 (HIV-1) coreceptors and promotes infection with both macrophage-tropic and T-lymphotropic HIV-1 strains.  
J Virol. 1998 Nov;72(11):8952-60.  
PMID: 9765440 [PubMed - indexed for MEDLINE]

-  **109:** [Mondor I, Moulard M, Ugolini S, Klasse PJ, Hoxie J, Amara A, Delaunay T, Wyatt R, Sodroski J, Sattentau QJ.](#) [Related Articles, Links](#)

-  Interactions among HIV gp120, CD4, and CXCR4: dependence on CD4 expression level, gp120 viral origin, conservation of the gp120 COOH- and NH2-termini and V1/V2 and V3 loops, and sensitivity to neutralizing antibodies.  
Virology. 1998 Sep 1;248(2):394-405.  
PMID: 9721247 [PubMed - indexed for MEDLINE]
-  **110:** [Sullivan N, Sun Y, Binley J, Lee J, Barbas CF 3rd, Parren PW, Burton DR, Sodroski J.](#) [Related Articles, Links](#)  
[Sullivan N, Sun Y, Binley J, Lee J, Barbas CF 3rd, Parren PW, Burton DR, Sodroski J.](#)
-  Determinants of human immunodeficiency virus type 1 envelope glycoprotein activation by soluble CD4 and monoclonal antibodies.  
J Virol. 1998 Aug;72(8):6332-8.  
PMID: 9658072 [PubMed - indexed for MEDLINE]
-  **111:** [Gauduin MC, Glickman RL, Means R, Johnson RP.](#) [Related Articles, Links](#)
-  Inhibition of simian immunodeficiency virus (SIV) replication by CD8(+) T lymphocytes from macaques immunized with live attenuated SIV.  
J Virol. 1998 Aug;72(8):6315-24.  
PMID: 9658070 [PubMed - indexed for MEDLINE]
-  **112:** [Kornbluth RS, Kee K, Richman DD.](#) [Related Articles, Links](#)
-  CD40 ligand (CD154) stimulation of macrophages to produce HIV-1-suppressive beta-chemokines.  
Proc Natl Acad Sci U S A. 1998 Apr 28;95(9):5205-10.  
PMID: 9560254 [PubMed - indexed for MEDLINE]
-  **113:** [Endrich MM, Gehring H.](#) [Related Articles, Links](#)
-  The V3 loop of human immunodeficiency virus type-1 envelope protein is a high-affinity ligand for immunophilins present in human blood.  
Eur J Biochem. 1998 Mar 15;252(3):441-6.  
PMID: 9546659 [PubMed - indexed for MEDLINE]
-  **114:** [Farzan M, Choe H, Vaca L, Martin K, Sun Y, Desjardins E, Ruffing N, Wu L, Wyatt R, Gerard N, Gerard C, Sodroski J.](#) [Related Articles, Links](#)
-  A tyrosine-rich region in the N terminus of CCR5 is important for human immunodeficiency virus type 1 entry and mediates an association between gp120 and CCR5.  
J Virol. 1998 Feb;72(2):1160-4.  
PMID: 9445013 [PubMed - indexed for MEDLINE]
-  **115:** [Oravecz T, Pall M, Roderiquez G, Gorrell MD, Ditto M, Nguyen NY, Boykins R, Unsworth E, Norcross MA.](#) [Related Articles, Links](#)
-  Regulation of the receptor specificity and function of the chemokine RANTES (regulated on activation, normal T cell expressed and secreted) by dipeptidyl peptidase IV (CD26)-mediated cleavage.  
J Exp Med. 1997 Dec 1;186(11):1865-72.  
PMID: 9382885 [PubMed - indexed for MEDLINE]
-  **116:** [Hill CM, Deng H, Unutmaz D, Kewalramani VN, Bastiani L, Gorny MK, Zolla-Pazner S, Littman DR.](#) [Related Articles, Links](#)
-  Envelope glycoproteins from human immunodeficiency virus types 1 and 2 and simian immunodeficiency virus can use human CCR5 as a coreceptor for viral entry and make direct CD4-dependent interactions with this chemokine receptor.  
J Virol. 1997 Sep;71(9):6296-304.  
PMID: 9261346 [PubMed - indexed for MEDLINE]
-  **117:** [Verrier FC, Charneau P, Altmeyer R, Laurent S, Borman AM, Girard M.](#) [Related Articles, Links](#)



Antibodies to several conformation-dependent epitopes of gp120/gp41 inhibit CCR-5-dependent cell-to-cell fusion mediated by the native envelope glycoprotein of a primary macrophage-tropic HIV-1 isolate. Proc Natl Acad Sci U S A. 1997 Aug 19;94(17):9326-31. PMID: 9256481 [PubMed - indexed for MEDLINE]



**118:** [Verani A, Scarlatti G, Comar M, Tresoldi E, Polo S, Giacca M, Lusso P, Siccardi AG, Vercelli D.](#) [Related Articles, Links](#)



C-C chemokines released by lipopolysaccharide (LPS)-stimulated human macrophages suppress HIV-1 infection in both macrophages and T cells. J Exp Med. 1997 Mar 3;185(5):805-16. PMID: 9120386 [PubMed - indexed for MEDLINE]



**119:** [Kozak SL, Platt EJ, Madani N, Ferro FE Jr, Peden K, Kabat D.](#) [Related Articles, Links](#)



CD4, CXCR-4, and CCR-5 dependencies for infections by primary patient and laboratory-adapted isolates of human immunodeficiency virus type 1. J Virol. 1997 Feb;71(2):873-82. PMID: 8995603 [PubMed - indexed for MEDLINE]



**120:** [Wu L, Gerard NP, Wyatt R, Choe H, Parolin C, Ruffing N, Borsetti A, Cardoso AA, Desjardin E, Newnan W, Gerard C, Sodroski J.](#) [Related Articles, Links](#)



CD4-induced interaction of primary HIV-1 gp120 glycoproteins with the chemokine receptor CCR-5. Nature. 1996 Nov 14;384(6605):179-83. PMID: 8906795 [PubMed - indexed for MEDLINE]



**121:** [Cocchi F, DeVico AL, Garzino-Demo A, Cara A, Gallo RC, Lusso P.](#) [Related Articles, Links](#)



The V3 domain of the HIV-1 gp120 envelope glycoprotein is critical for chemokine-mediated blockade of infection. Nat Med. 1996 Nov;2(11):1244-7. PMID: 8898753 [PubMed - indexed for MEDLINE]

Display **Summary** Show: **500** Sort **Send to** **Text**

Items 1-121 of 121

One page.

[Write to the Help Desk](#)  
[NCBI](#) | [NLM](#) | [NIH](#)  
[Department of Health & Human Services](#)  
[Freedom of Information Act](#) | [Disclaimer](#)